










Special Block

SHAPES AND SIZES













| | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>14 in. Stretcher</p>  <p>13 5/8 15 5/8 7 5/8</p> <p>140000 Concrete (62 lbs.) 140200 Lightweight</p> | <p>14 in. Bond Beam</p>  <p>13 5/8 15 5/8 7 5/8</p> <p>140015 Concrete (81 lbs.) 140215 Lightweight</p> | <p>14 in. Knockout Bond Beam Flow Through</p>  <p>13 5/8 15 5/8 7 5/8</p> <p>140017 Concrete</p> | <p>14 in. Jamb Sash Splittable</p>  <p>13 5/8 15 5/8 7 5/8</p> <p>140025 Concrete</p> |
| <p>14 in. Double Flush</p>  <p>13 5/8 15 5/8 7 5/8</p> <p>140027 Concrete 140226 Lightweight</p> | | | |
| <p>16 in. Stretcher</p>  <p>15 5/8 15 5/8 7 5/8</p> <p>160000 Concrete (69 lbs.) 160200 Lightweight</p> | <p>16 in. Bond Beam</p>  <p>15 5/8 15 5/8 7 5/8</p> <p>160015 Concrete 160215 Lightweight</p> | <p>16 in. Knockout Bond Beam Flow Through</p>  <p>15 5/8 15 5/8 7 5/8</p> <p>160017 Concrete</p> | <p>16 in. Pier Block</p>  <p>15 5/8 15 5/8 7 5/8</p> <p>160086 Concrete</p> |

Note: Not all block immediately available at all County Materials locations. All dimensions nominal.

Special Block

SHAPES AND SIZES



| | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>12 in. Diameter Pole Pad*</p>  <p>150340 35 lbs.</p> | <p>14 in. Diameter Pole Pad*</p>  <p>150300 45 lbs.</p> | <p>16 in. Diameter Pole Pad*</p>  <p>150305 106 lbs.</p> | <p>20 in. Diameter Pole Pad*</p>  <p>150310 160 lbs.</p> |
| <p>22 in. Diameter Pole Pad*</p>  <p>150320 195 lbs.</p> | <p>24 in. Diameter Pole Pad*</p>  <p>150330 232 lbs.</p> | <p>24 in. Diameter Pole Pad</p>  <p>150332 310 lbs.</p> | <p>26 in. Diameter Pole Pad</p>  <p>150335 366 lbs.</p> |
| <p>28 in. Diameter Pole Pad</p>  <p>150333 410 lbs.</p> | <p>30 in. Diameter Pole Pad</p>  <p>150334 480 lbs.</p> | | |

**Note: Not all block immediately available at all County Materials locations.
* Additional Pole Pad sizes including 8" thick are available. Contact your sales representative.
All dimensions nominal.**

Special Block Shapes and Sizes



(800) 242-7733
countymaterials.com
info@countymaterials.com