
















Standard Masonry Sizes: 2", 3", and 4"

SHAPES AND SIZES



2 in. Brick (Common)  150100 Concrete (1 Hr.)	2 in. Solid/Soap  150135 Concrete	3 in. Solid  150150 Concrete 150152 Lightweight	4 in. Regular**  040000 Concrete 040200 Lightweight (1 Hr.)
4 in. Two Qtr. / Half Block  040002 Concrete 040202 Lightweight (1 Hr.)	4 in. Three Qtr.  040003 Concrete 040203 Lightweight (1 Hr.) (Alternate - 12" One Qtr.)	4 in. 5 High (Starter)  040006 Concrete 040206 Lightweight (1 Hr.)	4 in. Half High  040008 Concrete 040208 Lightweight (1 Hr.)
4 in. L-Corner***  040010 Concrete 040210 Lightweight (1 Hr.)	4 in. Solid  040054 Concrete 040254 Lightweight (2 Hr.)	4 in. Single Bullnose*  044001 Concrete 044201 Lightweight (1 Hr.)	4 in. Two Qtr. / Half Block Single Bullnose*  044006 Concrete 044206 Lightweight (1 Hr.)
4 in. Double Bullnose* End  044010 Concrete 044210 Lightweight (1 Hr.)	4 in. Double Bullnose* Face  044012 Concrete 044212 Lightweight (1 Hr.)	4 in. Two Qtr. / Half Block Double Bullnose*  044016 Concrete 044216 Lightweight (1 Hr.)	

Note: Not all block immediately available at all County Materials locations.

*** All Bullnose have 1" radius.**

**** Full 8" high units available in select markets. Contact your sales representative.**

















***** Only available in solid units at some locations.**

All dimensions nominal.

Standard Masonry Sizes: 6"

SHAPES AND SIZES



6 in. Regular**  060000 Concrete 060200 Lightweight (1 Hr.)	6 in. Two Qtr. / Half Block  060002 Concrete 060202 Lightweight (1 Hr.)	6 in. 5 High (Starter)  060006 Concrete 060206 Lightweight (1 Hr.) <i>(May be available as a solid)</i>	6 in. Half High  060008 Concrete 060208 Lightweight (1 Hr.) <i>(May be available as a solid)</i>
6 in. L-Corner  060010 Concrete 060210 Lightweight (1 Hr.)	6 in. Bay Block (45° Corner)  060012 Concrete 060212 Lightweight (1 Hr.)	6 in. Bond Beam  060015 Concrete (1 Hr.) 060215 Lightweight (1 Hr.)	6 in. Utility Knockout  060020 Concrete 060220 Lightweight (1 Hr.) 060018 <i>(Substitute for 6" Lintel)</i>
6 in. Solid  060054 Concrete 060254 Lightweight (4 Hr.)	6 in. Single Bullnose*  064001 Concrete 064201 Lightweight (1 Hr.)	6 in. Two Qtr. / Half Block Single Bullnose*  064006 Concrete 064206 Lightweight (1 Hr.)	6 in. Double Bullnose* End  064010 Concrete 064210 Lightweight (1 Hr.)
6 in. Double Bullnose* Face  064012 Concrete 064212 Lightweight (1 Hr.)	6 in. Two Qtr. / Half Block Double Bullnose*  064016 Concrete 064216 Lightweight (1 Hr.)	6 in. Knockout Bond Beam (Flow Through)  060017 Concrete (1 Hr.) 060200 Lightweight (1 Hr.)	6 in. 2 Hour  060040 Concrete (2 Hr.) 060254 Lightweight (4 Hr.)

















* All Bullnose have 1" radius.

Note: Not all block immediately available at all County Materials locations.
**** Full 8" high units available in select markets. Contact your sales representative.**
All dimensions nominal.

Standard Masonry Sizes: 8"

SHAPES AND SIZES



8 in. Regular/Stretcher**  080000 Concrete 080000A 1" Web (2 Hr.) 080000M Medium weight (2 Hr.) 080200 Lightweight (2 Hr.)	8 in. One Quarter  080001 Concrete 080201 Lightweight (4 Hr.) (Alternate - 4" Two Qtr.)	8 in. Two Qtr. / Half Block  080002 Concrete 080202 Lightweight (2 Hr.)	8 in. Three Quarter  080003 Concrete 080203 Lightweight (2 Hr.) (Alternate - 12" Two Qtr.)
8 in. 5 High (Starter)  080006 Concrete 080206 Lightweight (2 Hr.)	8 in. Half High  080008 Concrete 080208 Lightweight (2 Hr.) (Available as Double Flush Jamb/sash and 2Sash)	8 in. Bay Block** (45° Corner)  080012 Concrete 080212 Lightweight (2 Hr.)	8 in. Flow Through Bond Beam (2 Holes)  080014 Concrete 080214 Lightweight (2 Hr.)
8 in. Bond Beam  080015 Concrete 080215 Lightweight (2 Hr.) (8" Half-High Bond Beam Available)	8 in. Flow Through Bond Beam (1 Hole)  080016 Concrete (2 Hr.)	8 in. Knockout Bond Beam (Flow Through)  080017 Concrete 080217 Lightweight (2 Hr.)	8 in. Lintel (Horsecollar)  080018 Concrete 080218 Lightweight (2 Hr.)
8 in. FHA*** Special Knockout Bond Beam  080019 Concrete (2 Hr.)	8 in. Utility Knockout  080020 Concrete 080220 Lightweight (2 Hr.)	8 in. Jamb Sash  080025 Concrete 080225 Lightweight (2 Hr.)	8 in. Double Flush**  080027 Concrete 080227 Lightweight (2 Hr.)











*** FHA = Federal Housing Authority Approved

Note: Not all block immediately available at all County Materials locations.
 ** Full 8" high units available in select markets. Contact your sales representative.
 All dimensions nominal.

Standard Masonry Sizes: 8"

SHAPES AND SIZES



8 in. 2 Hour  080040 Concrete (2 Hr.) 080245 Lightweight (3 Hr.)	8 in. 75% Solid  080045 Concrete (3 Hr.) 080250 Lightweight (4 Hr.)	8 in. Solid /4 Hour  080055 Concrete (4 Hr.) 080254 Lightweight (4 Hr.)	
8 in. Open Cell  080400 Concrete 1 Hr.) Used for alignment of cores for rebar and grouting. Notches on the webs are available for rebar.	8 in. Single Bullnose*  084001 Concrete (2 Hr.) 084201 Lightweight (2 Hr.)	8 in. Two Qtr./Half Block Single Bullnose*  084006 Concrete (2 Hr.) 084206 Lightweight (2 Hr.)	8 in. Double Bullnose* End  084010 Concrete (2 Hr.) 084210 Lightweight (2 Hr.)
8 in. Double Bullnose* Face  084012 Concrete (2 Hr.) 084212 Lightweight (2 Hr.)	8 in. Two Qtr./Half Block Double Bullnose*  084016 Concrete (2 Hr.) 084216 Lightweight (2 Hr.)	8 in. 8x8x32  080000D Concrete (2 Hr.) **** Medium weight (2 Hr.) **** Lightweight (3 Hr.)	

Note: Not all block immediately available at all County Materials locations.

*** All Bullnose have 1" radius.**

**** Full 8" high units available in select markets. Contact your sales representative.**














****** SPECIAL ORDER.**

**2 Hr., 3 Hr. and 4 Hr. refer to the unit's Fire Rating.
All dimensions nominal.**

Standard Masonry Sizes: 10"

SHAPES AND SIZES



10 in. Stretcher**  100000 Concrete (2 Hr.) 100200 Lightweight (3 Hr.)	10 in. One Quarter  100001 Concrete (4 Hr.) 100201 Lightweight (4 Hr.)	10 in. Two Qtr. / Half Block  100002 Concrete (2 Hr.) 100202 Lightweight (3 Hr.)	10 in. Three Quarter  100003 Concrete (2 Hr.) 100203 Lightweight (3 Hr.)
10 in. 5" High (Starter)  100006 Concrete (2 Hr.) 100206 Lightweight (3 Hr.)	10 in. Half High  100008 Concrete (2 Hr.) 100208 Lightweight (3 Hr.) <i>(Available as Double Flush Jamb/sash and 2Sash)</i>	10 in. L-Corner (Offset)**  100010 Concrete (2 Hr.) 100210 Lightweight (3 Hr.)	10 in. Double Flush**  100027 Concrete (2 Hr.) 100227 Lightweight (3 Hr.)
10 in. Bond Beam  100015 Concrete (2 Hr.) 100215 Lightweight (3 Hr.) <i>(10" Half-High Bond Beam Available)</i>	10 in. Knockout Bond Beam Flow Through  100017 Concrete (2 Hr.) 100217 Lightweight (3 Hr.)	10 in. FHA* Special Knockout Bond Beam  100019 Concrete (2 Hr.)	10 in. Utility Knockout  100020 Concrete (2 Hr.) 100220 Lightweight (3 Hr.)
10 in. Jamb Sash  100025 Concrete (2 Hr.) 100225 Lightweight (3 Hr.)			






*FHA = Federal Housing Authority Approved

Note: Not all block immediately available at all County Materials locations.
**** Full 8" high units available in select markets. Contact your sales representative.**
All dimensions nominal.

Standard Masonry Sizes: 10"

SHAPES AND SIZES



10 in. Single Bullnose*  104001 Concrete (2 Hr.) 104201 Lightweight (3 Hr.)	10 in. Two Qtr. / Half Block Single Bullnose*  104006 Concrete (2 Hr.) 104206 Lightweight (3 Hr.)	10 in. Double Bullnose* End  104010 Concrete (2 Hr.) 104210 Lightweight (3 Hr.)	10 in. Double Bullnose* Face  104012 Concrete (2 Hr.) 100227 Lightweight (3 Hr.)
10 in. Two Qtr. / Half Block Double Bullnose*  104016 Concrete (2 Hr.) 104206 Lightweight (3 Hr.)			

Note: Not all block immediately available at all County Materials locations.

***All Bullnose have 1" radius.**















**** Full 8" high units available in select markets. Contact your sales representative.**

All dimensions nominal.

Standard Masonry Sizes: 12"

SHAPES AND SIZES



12 in. Stretcher**  120000 Concrete (2 Hr.) 120000M Medium weight (3 Hr.) 120200 Lightweight (4 Hr.)	12 in. One Quarter  120001 Concrete (4 Hr.) 120201 Lightweight (4 Hr.) <i>(Alternate - 4" Three Qtr.)</i>	12 in. Two Qtr. / Half Block  120002 Concrete (2 Hr.) 120202 Lightweight (4 Hr.)	12 in. Two Qtr. / Half Block Double Flush  120004 Concrete (2 Hr.) 120204 Lightweight (4 Hr.)
12 in. Three Quarter  120003 Concrete (2 Hr.) 120203 Lightweight (4 Hr.)	12 in. 5 High (Starter)  120006 Concrete (2 Hr.) 120206 Lightweight (4 Hr.)	12 in. Half High  120008 Concrete (2 Hr.) 120208 Lightweight (4 Hr.) <i>(Available as Double Flush Jamb/sash and 2Sash)</i>	12 in. L-Corner (Offset)**  120010 Concrete (2 Hr.) 120210 Lightweight (4 Hr.)
12 in. 45° Mitered Corner  **** Special Order	12 in. Bond Beam  120015 Concrete (2 Hr.) 120215 Lightweight (4 Hr.) <i>(12" Half-High Bond Beam Available)</i>	12 in. Knockout Bond Beam Flow Through  120017 Concrete (2 Hr.) 120217 Lightweight (4 Hr.)	12 in. Lintel (Horsecollar)  120018 Concrete (2 Hr.) 120218 Lightweight (4 Hr.)
12 in. Utility Knockout  120020 Concrete (2 Hr.) 120220 Lightweight (4 Hr.)	12 in. Jamb One Sash  120025 Concrete (2 Hr.) 120225 Lightweight (4 Hr.)		

*** FHA = Federal Housing Authority Approved

Note: Not all block immediately available at all County Materials locations.
**** Full 8" high units available in select markets. Contact your sales representative.**
****** SPECIAL ORDER.**
All dimensions nominal.

Standard Masonry Sizes: 12"

SHAPES AND SIZES



12 in. Double Flush** 120027 Concrete (2 Hr.) 120227 Lightweight (4 Hr.)	12 in. Fire Rated Block - 4 Hr. 120050 Concrete (4 Hr.) 120200 Lightweight (4 Hr.) 12" (3) hour available at some locations	12 in. Bay Block (45° Corner) 120012 Concrete (2 Hr.)	12 in. Single Bullnose* 124001 Concrete (2 Hr.) 124201 Lightweight (4 Hr.)
12 in. Two Qtr. / Half Block Single Bullnose* 124006 Concrete (2 Hr.) 124206 Lightweight (4 Hr.)	12 in. Double Bullnose* End 124010 Concrete (2 Hr.) 124210 Lightweight (4 Hr.)	12 in. Double Bullnose* Face 124012 Concrete (2 Hr.) 124212 Lightweight (4 Hr.)	12 in. Two Qtr. / Half Block Double Bullnose* 124016 Concrete (1 Hr.) 124216 Lightweight (2 Hr.)
12 in. Open Cell Used for alignment of cores for rebar and grouting. Notches on the webs are available for rebar. **** Concrete (1 Hr.) **** Lightweight (2 Hr.)	12 in. Open Cell - 3 Hr. **** Concrete (3 Hr.) **** Lightweight (4 Hr.)	12 in. 12x8x32 120000D Concrete (2 Hr.) **** Medium weight (3 Hr.) **** Lightweight (4 Hr.)	

Note: Not all block immediately available at all County Materials locations.

***All Bullnose have 1" radius.**

**** Full 8" high units available in select markets. Contact your sales representative.**

****** SPECIAL ORDER.**

All dimensions nominal.

Standard Masonry Sizes: 14" and 16"

SHAPES AND SIZES



14 in. Stretcher 140000 Concrete (4 Hr.) *** Lightweight (4 Hr.) (62 lbs.)	14 in. Bond Beam 140015 Concrete (4 Hr.) *** Lightweight (4 Hr.) (81 lbs.)	14 in. Knockout Bond Beam Flow Through 140017 Concrete (4 Hr.) *** Lightweight (4 Hr.)	14 in. Jamb Sash Splittable 140025 Concrete (4 Hr.) *** Lightweight (4 Hr.)
14 in. Double Flush *** Concrete (4 Hr.) *** Lightweight (4 Hr.)			
16 in. Stretcher 160000 Concrete (4 Hr.) *** Lightweight (4 Hr.) (69 lbs.)	16 in. Bond Beam 160015 Concrete (4 Hr.) *** Lightweight (4 Hr.)	16 in. Knockout Bond Beam Flow Through 160017 Concrete (4 Hr.) *** Lightweight (4 Hr.)	16 in. Pier Block 160086 Concrete (4 Hr.) *** Lightweight (4 Hr.)

Note: Not all block immediately available at all County Materials locations.
***** SPECIAL ORDER.**
All dimensions nominal.

Standard Masonry Shapes and Sizes



(800) 242-7733
countymaterials.com
info@countymaterials.com